

10/561144

SEQUENCE LISTING

IAP20 Rec'd PCT/PTO 16 DEC 2005

<110> TAKEDA CHEMICAL INDUSTRIES, LTD.
SHIMOMURA, Iichirou

<120> Novel Protein

<130> 09653

<150> JP 2003-171188

<151> 2003-06-16

<150> JP 2003-391047

<151> 2003-11-20

<150> JP 2004-23557

<151> 2004-01-30

<150> JP 2004-30988

<151> 2004-02-06

<160> 25

<170> PatentIn version 3.2

<210> 1

<211> 402

<212> DNA

<213> Homo sapiens

<220>

<221> CDS

<222> (1)..(399)

<220>

<221> sig_peptide

<222> (1)..(87)

<220>

<221> mat_peptide

<222> (88)..(399)

<400> 1

atg ctg gac tgg aga ttg gca agt gca cat ttc atc ctg gct gtg aca 48
Met Leu Asp Trp Arg Leu Ala Ser Ala His Phe Ile Leu Ala Val Thr
-25 -20 -15

ctg aca ctg tgg agc tca gga aaa gtc ctc tca gta gat gta aca aca 96
Leu Thr Leu Trp Ser Ser Gly Lys Val Leu Ser Val Asp Val Thr Thr
-10 -5 -1 1

aca gag gcc ttt gat tct gga gtc ata gat gtg cag tca aca ccc aca 144
Thr Glu Ala Phe Asp Ser Gly Val Ile Asp Val Gln Ser Thr Pro Thr
5 10 15

gtc agg gaa gag aaa tca gcc act gac ctg aca gca aaa ctc ttg ctt 192
Val Arg Glu Glu Lys Ser Ala Thr Asp Leu Thr Ala Lys Leu Leu Leu
20 25 30 35

ctt gat gaa ttg gtg tcc cta gaa aat gat gtg att gag aca aag aag 240
Leu Asp Glu Leu Val Ser Leu Glu Asn Asp Val Ile Glu Thr Lys Lys
40 45 50

aaa agg agt ttc tct ggt ttt ggg tct ccc ctt gac aga ctc tca gct 288
Lys Arg Ser Phe Ser Gly Phe Gly Ser Pro Leu Asp Arg Leu Ser Ala
55 60 65

ggc tct gta gat cac aaa ggt aaa cag agg aaa gta gta gat cat cca 336
Gly Ser Val Asp His Lys Gly Lys Gln Arg Lys Val Val Asp His Pro
70 75 80

aaa agg cga ttt ggt atc ccc atg gat cgg att ggt aga aac cgg ctt 384
Lys Arg Arg Phe Gly Ile Pro Met Asp Arg Ile Gly Arg Asn Arg Leu
85 90 95

tca aat tcc aga ggc taa
 Ser Asn Ser Arg Gly
 100

402

<210> 2
 <211> 133
 <212> PRT
 <213> Homo sapiens

<400> 2

Met Leu Asp Trp Arg Leu Ala Ser Ala His Phe Ile Leu Ala Val Thr
 -25 -20 -15

Leu Thr Leu Trp Ser Ser Gly Lys Val Leu Ser Val Asp Val Thr Thr
 -10 -5 -1 1

Thr Glu Ala Phe Asp Ser Gly Val Ile Asp Val Gln Ser Thr Pro Thr
 5 10 15

Val Arg Glu Glu Lys Ser Ala Thr Asp Leu Thr Ala Lys Leu Leu Leu
 20 25 30 35

Leu Asp Glu Leu Val Ser Leu Glu Asn Asp Val Ile Glu Thr Lys Lys
 40 45 50

Lys Arg Ser Phe Ser Gly Phe Gly Ser Pro Leu Asp Arg Leu Ser Ala
 55 60 65

Gly Ser Val Asp His Lys Gly Lys Gln Arg Lys Val Val Asp His Pro
 70 75 80

Lys Arg Arg Phe Gly Ile Pro Met Asp Arg Ile Gly Arg Asn Arg Leu
 85 90 95

Ser Asn Ser Arg Gly
 100

<210> 3
 <211> 393
 <212> DNA
 <213> Mus musculus

<220>
 <221> CDS
 <222> (1).. (390)

<220>
 <221> sig_peptide
 <222> (1).. (87)

<220>
 <221> mat_peptide
 <222> (88).. (390)

<400> 3

atg ctg gac tgg aga ttg gca agt aca cac ttc atc ctg gct atg att 48
 Met Leu Asp Trp Arg Leu Ala Ser Thr His Phe Ile Leu Ala Met Ile
 -25 -20 -15

gtg atg ctg tgg ggc tca gga aag gca ttc tct gtg gac tta gca tca 96
 Val Met Leu Trp Gly Ser Gly Lys Ala Phe Ser Val Asp Leu Ala Ser
 -10 -5 -1 1

cag gag ttt gga aca gca agc ttg cag tct cca ccc aca gcc aga gaa 144

Gln Glu Phe Gly Thr Ala Ser Leu Gln Ser Pro Pro Thr Ala Arg Glu
 5 10 15
 gag aag tca gcc act gag ctt tcg gct aag ctc ctg cgt ctt gat gat 192
 Glu Lys Ser Ala Thr Glu Leu Ser Ala Lys Leu Leu Arg Leu Asp Asp
 20 25 30 35
 ctg gtg tcc tta gag aat gac gta ttt gag acc aag aaa aag aga agc 240
 Leu Val Ser Leu Glu Asn Asp Val Phe Glu Thr Lys Lys Lys Arg Ser
 40 45 50
 ttc tot ggc ttt ggg tct ccc ctt gac aga ctc tca gct ggg tct gta 288
 Phe Ser Gly Phe Gly Ser Pro Leu Asp Arg Leu Ser Ala Gly Ser Val
 55 60 65
 gag cat aga ggg aaa caa agg aaa gca gta gat cat tca aaa aag cgg 336
 Glu His Arg Gly Lys Gln Arg Lys Ala Val Asp His Ser Lys Lys Arg
 70 75 80
 ttt ggt att ccc atg gat cgg att ggt aga aac cgg ctc tcc agt tcc 384
 Phe Gly Ile Pro Met Asp Arg Ile Gly Arg Asn Arg Leu Ser Ser Ser
 85 90 95
 aga ggc tga 393
 Arg Gly
 100

<210> 4
 <211> 130
 <212> PRT
 <213> Mus musculus

<400> 4

Met Leu Asp Trp Arg Leu Ala Ser Thr His Phe Ile Leu Ala Met Ile
 -25 -20 -15

Val Met Leu Trp Gly Ser Gly Lys Ala Phe Ser Val Asp Leu Ala Ser
 -10 -5 -1 1

Gln Glu Phe Gly Thr Ala Ser Leu Gln Ser Pro Pro Thr Ala Arg Glu
 5 10 15

Glu Lys Ser Ala Thr Glu Leu Ser Ala Lys Leu Leu Arg Leu Asp Asp
 20 25 30 35

Leu Val Ser Leu Glu Asn Asp Val Phe Glu Thr Lys Lys Lys Arg Ser
 40 45 50

Phe Ser Gly Phe Gly Ser Pro Leu Asp Arg Leu Ser Ala Gly Ser Val
 55 60 65

Glu His Arg Gly Lys Gln Arg Lys Ala Val Asp His Ser Lys Lys Arg
 70 75 80

Phe Gly Ile Pro Met Asp Arg Ile Gly Arg Asn Arg Leu Ser Ser Ser
 85 90 95

Arg Gly
 100

<210> 5
 <211> 19
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Oligonucleotide designed to act as primer for amplifying cDNA
 derived from mouse soleus muscle.

<400> 5
 ggggtggac catcctcta 19

<210> 6
 <211> 20
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Oligonucleotide designed to act as primer for amplifying cDNA
 derived from mouse soleus muscle.

<400> 6
 cgcgagctg taaacgtag 20

<210> 7
 <211> 249
 <212> DNA
 <213> Mus musculus

<400> 7
 aggactctaa agttaggagc tctgacttct cacaagatgc tggactggag attggcaagt 60
 acacacttca tcctggctat gattgtgatg ctgtggggct caggaaaggc attctctgtg 120
 gacttagcat cacaggagtt tggaacagca agcttgcagt ctccaccac agccagagaa 180
 gagaagtcag ccaactgagct ttgggctaag ctctgcgctc ttgatgatct ggtgtcctta 240
 gagaatgac 249

<210> 8
 <211> 30
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Oligonucleotide designed to act as primer for amplifying full
 length mouse musculin cDNA.

<400> 8
 tcctgagccc cacagcatca caatcatago 30

<210> 9
 <211> 19
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Oligonucleotide designed to act as primer for amplifying full
 length mouse musculin cDNA.

<400> 9
 ccttgacaga ctctcagct 19

<210> 10
 <211> 1154
 <212> DNA
 <213> Mus musculus

<400> 10
 gagagagaga gagagagaga gagagagaga gagagtgggt gaaatgttcc gctgaaaatc 60
 tgtggaactg atgtaagaga aagcaacgac aggggttgga gtaagtggag tagaactgag 120
 actataaaaa cacagaaaga aactcgcatc agggctaagt ttgggataag ctgcaggcag 180

gactctaaag ttaggagctc tgactttctca caagatgctg gactggagat tggcaagtac	240
acacttcatc ctggctatga ttgtgatgct gtggggctca ggaaggcat tctctgtga	300
cttagcatca caggagtttg gaacagcaag cttgcagtct ccaccacag ccagagaaga	360
gaagtacgcc actgagcttt cggctaagct cctgcgtctt gatgatctgg tgccttaga	420
gaatgacgta tttgagacca agaaaaagag aagcttctct ggctttgggt ctccccttga	480
cagactotca gctgggtctg tagagcatag agggaaacaa aggaaagcag tagatcattc	540
aaaaaagcgg tttggtattc ccatggatcg gattggtaga aaccggctct ccagttccag	600
aggctgatgg attctatttg tgcgacttac ttgtgtgaga tggcacagaa ctatagaaga	660
cacttcagtg aagttcacta ccccttttgt caaggaattg gcctttcgca aaccttccca	720
aagcttgatc ctcccagac catcacgtca tagtgttgcg gtggttttag ttgagttgtg	780
cagatcattt cagtgcattg atatctctga aagtattttt caatgattcc caaattgtaa	840
cgtggccctt gaacctactt tttttaacaa gcagaccaat ataatgcatt ctcttgccat	900
taatattttc acatttcagt taatcaatgt gctttctaga aacctagtgt ttgaagatct	960
gatgatctaa agaaatcaga aatgagcaca tgggtattta tataggtttc tttagttttt	1020
ctgaggtttg tcgaattgtt gtaaacttca acttcaagct tagaaaaaag acattacatg	1080
agtgtttgct tcaactgtgt cagaaggcaa ataaattttg agaaaccaa aaaaaaaaaa	1140
aaaaaaaaaa aaaa	1154

<210> 11
 <211> 28
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Oligonucleotide designed to act as primer for amplifying full length human musculin cDNA.

<400> 11	
gactgtgggt gttgactgca catctatg	28

<210> 12
 <211> 28
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Oligonucleotide designed to act as primer for amplifying full length human musculin cDNA.

<400> 12	
ctgatctttc acgagatgct ggactgga	28

<210> 13
 <211> 1655
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (763)..(763)
 <223> n stands for unidentified base.

<220>
 <221> misc_feature
 <222> (965)..(965)
 <223> n stands for unidentified base.

<220>
<221> misc_feature
<222> (1032).. (1032)
<223> n stands for unidentified base.

<220>
<221> misc_feature
<222> (1033).. (1033)
<223> n stands for unidentified base.

<220>
<221> misc_feature
<222> (1043).. (1043)
<223> n stands for unidentified base.

<220>
<221> misc_feature
<222> (1075).. (1075)
<223> n stands for unidentified base.

<220>
<221> misc_feature
<222> (1080).. (1080)
<223> n stands for unidentified base.

<220>
<221> misc_feature
<222> (1113).. (1113)
<223> n stands for unidentified base.

<220>
<221> misc_feature
<222> (1138).. (1138)
<223> n stands for unidentified base.

<220>
<221> misc_feature
<222> (1235).. (1235)
<223> n stands for unidentified base.

<220>
<221> misc_feature
<222> (1238).. (1238)
<223> n stands for unidentified base.

<220>
<221> misc_feature
<222> (1265).. (1265)
<223> n stands for unidentified base.

<220>
<221> misc_feature
<222> (1277).. (1277)
<223> n stands for unidentified base.

<220>
<221> misc_feature
<222> (1280).. (1280)
<223> n stands for unidentified base.

<220>
<221> misc_feature
<222> (1291).. (1291)
<223> n stands for unidentified base.

<220>
<221> misc_feature
<222> (1301).. (1301)
<223> n stands for unidentified base.

<220>
<221> misc_feature
<222> (1328).. (1328)
<223> n stands for unidentified base.

<220>
 <221> misc_feature
 <222> (1347)..(1347)
 <223> n stands for unidentified base.

<220>
 <221> misc_feature
 <222> (1366)..(1366)
 <223> n stands for unidentified base.

<220>
 <221> misc_feature
 <222> (1454)..(1454)
 <223> n stands for unidentified base.

<220>
 <221> misc_feature
 <222> (1553)..(1553)
 <223> n stands for unidentified base.

<220>
 <221> misc_feature
 <222> (1580)..(1580)
 <223> n stands for unidentified base.

<220>
 <221> misc_feature
 <222> (1625)..(1625)
 <223> n stands for unidentified base.

<400> 13
 acgcgaggag ggotgagttt tggagaaact gcagagacag tactctaaag ttagaatctc 60
 ctgatotttc acgagatgct ggactggaga ttggcaagtg cacatttcat cctggctgtg 120
 acactgacac tgtggagctc aggaaaagtc ctctcagtag atgtaacaac aacagaggcc 180
 ttgattctg gagtcataga tgtgcagtca acaccacag tcagggaaga gaaatcagcc 240
 actgacctga cagcaaaact cttgttctt gatgaattgg tgtccctaga aaatgatgtg 300
 attgagacaa agaagaaaag gagtttctct ggttttgggt ctccccttga cagactctca 360
 gctggctctg tagatcacia aggtaaacag aggaaagtag tagatcatcc aaaaaggcga 420
 tttggtatcc ccatggatcg gattggtaga aaccggcttt caaattccag aggctaattg 480
 attccaatta tgcaacttcc ttgggtgaaa tgccacagca atatggaaga tgcttcaactg 540
 aagttattca cacttcttaa tgattaaact ttaaggaac tgaccttctg caaatccttt 600
 ccaaagcttg aacttcagtc catcacatta cggcattgtt acagcttcaa ttaaattgtg 660
 taaatcattt tgatgcacgt acattttaaa attatatatt ttaattattc aagaatggtt 720
 aacttccct taaaccttac ttttaaaata ataattaaat acncaataca gtgaaatgcc 780
 ttctgtatgg atttaccatg cacatgtttg gagtccaaag aaataataac caaagacaga 840
 atttgccttc tgtaaaattt tagttataaa totggcccat tattggggaa tgaaggaaag 900
 gcaatgcctg tgtatttttc tggtagggaa cttttccctt tcccgggaat tccaattttt 960
 tccngaagg cctggatccg ggaataaatt atgaaaatta gggcttccct ttccaaattt 1020
 ccaaagtttt cnngtccatg ttncagaaaa attaaaaaca ccagcccca aggnagccn 1080
 tatttgactt tagaattaag gaaaggggaa ggnccattac tcatttggtc aaaacttnga 1140
 tatcaacttg tccctaaaaa accttcccat tttttttaa ttctgccagg ttaagagcag 1200
 taggtgtctc attaggaggg gaggtaacgc tcacncanag ggtaaaaatg aaagtaggag 1260
 ggaantcaaa ggaattncn ccagaactgg ntaggccag ntaagcacac atcattttag 1320
 gtcagtnca cttcagcata gtacaangtg atcttttga tatcnggat taatctaaga 1380

aactgtttac tgtgtttcat atattggctt attgggcttc aattgtctta ttatccttaa 1440
 taagccaatt gaangagcat aatgattttg agaatgattt cttaaaaato attcagatta 1500
 tttttgaatg acttattaaa acataagttt tcgtattgta gaaaactcag ttntcagtaa 1560
 taactatgat gttactgtan gcttggacac ataggtccat tgtgcacttg gatatacttt 1620
 gaaanccccc aaaaaaaaaa aaaaaaaaaa aaaaa 1655

<210> 14
 <211> 20
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Oligonucleotide designed to act as primer for amplifying mouse
 musculin cDNA fragment.

<400> 14
 tgtggactta gcatcacagg 20

<210> 15
 <211> 19
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Oligonucleotide designed to act as primer for amplifying mouse
 musculin cDNA fragment.

<400> 15
 ccttgacaga ctctcagct 19

<210> 16
 <211> 27
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Oligonucleotide designed to act as primer for amplifying full
 length rat SS169 cDNA.

<400> 16
 gctggactgg agattggcaa gtgcaca 27

<210> 17
 <211> 28
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Oligonucleotide designed to act as primer for amplifying full
 length rat SS169 cDNA.

<400> 17
 ctcttgcta tgatcctgat gctgtggg 28

<210> 18
 <211> 26
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Oligonucleotide designed to act as primer for amplifying full
 length rat SS169 cDNA.

<400> 18
 aaggcattct ccgtggactt agcatc 26

<210> 19
 <211> 23
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Oligonucleotide designed to act as primer for amplifying full length rat SS169 cDNA.

 <400> 19
 ctctggcttc ggtctcccc ttg 23

 <210> 20
 <211> 20
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Oligonucleotide designed to act as primer for amplifying cDNA derived from rat gastrocnemius muscle.

 <400> 20
 atgctggact ggagattggc 20

 <210> 21
 <211> 20
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Oligonucleotide designed to act as primer for amplifying cDNA derived from rat gastrocnemius muscle.

 <400> 21
 tcagcccctg gaactggaga 20

 <210> 22
 <211> 399
 <212> DNA
 <213> Rattus norvegicus

 <220>
 <221> CDS
 <222> (1).. (396)

 <220>
 <221> sig_peptide
 <222> (1).. (87)

 <220>
 <221> mat_peptide
 <222> (88).. (396)

 <400> 22
 atg ctg gac tgg aga ttg gca agt gca cac ttc ctc ctg gct atg atc 48
 Met Leu Asp Trp Arg Leu Ala Ser Ala His Phe Leu Leu Ala Met Ile
 -25 -20 -15

 ctg atg ctg tgg ggc tca gga aag gca ttc tcc gtg gac tta gca tca 96
 Leu Met Leu Trp Gly Ser Gly Lys Ala Phe Ser Val Asp Leu Ala Ser
 -10 -5 -1 1

 gag gcc tcc gag ttt gga gca gaa agc ttg cag tcc cca ccc aca acc 144
 Glu Ala Ser Glu Phe Gly Ala Glu Ser Leu Gln Ser Pro Pro Thr Thr
 5 10 15

 aga gaa gag aag tca gcc aag gag ctt gca gct aag ctc ctg ctt ctt 192
 Arg Glu Glu Lys Ser Ala Thr Glu Leu Ala Ala Lys Leu Leu Leu Leu
 20 25 30 35

 gat gat ctg gtg tcc ttg gag aat gat gtg ttt gag acc aag aag aag 240

Asp Asp Leu Val Ser Leu Glu Asn Asp Val Phe Glu Thr Lys Lys Lys
 40 45 50
 aga agc ttc tct ggc ttc ggg tct ccc ctt gac aga ctc tcg gct ggg 288
 Arg Ser Phe Ser Gly Phe Gly Ser Pro Leu Asp Arg Leu Ser Ala Gly
 55 60 65
 tct gta gag cat aga ggg aaa caa agg aga gta gtt gat cat tca aaa 336
 Ser Val Glu His Arg Gly Lys Gln Arg Arg Val Val Asp His Ser Lys
 70 75 80
 aag cga ttt ggt att ccc atg gat cga att ggt aga aac cgt ctc tcc 384
 Lys Arg Phe Gly Ile Pro Met Asp Arg Ile Gly Arg Asn Arg Leu Ser
 85 90 95
 agt tcc agg ggc tga 399
 Ser Ser Arg Gly
 100

<210> 23
 <211> 132
 <212> PRT
 <213> Rattus norvegicus

<400> 23

Met Leu Asp Trp Arg Leu Ala Ser Ala His Phe Leu Leu Ala Met Ile
 -25 -20 -15

Leu Met Leu Trp Gly Ser Gly Lys Ala Phe Ser Val Asp Leu Ala Ser
 -10 -5 -1 1

Glu Ala Ser Glu Phe Gly Ala Glu Ser Leu Gln Ser Pro Pro Thr Thr
 5 10 15

Arg Glu Glu Lys Ser Ala Thr Glu Leu Ala Ala Lys Leu Leu Leu Leu
 20 25 30 35

Asp Asp Leu Val Ser Leu Glu Asn Asp Val Phe Glu Thr Lys Lys Lys
 40 45 50

Arg Ser Phe Ser Gly Phe Gly Ser Pro Leu Asp Arg Leu Ser Ala Gly
 55 60 65

Ser Val Glu His Arg Gly Lys Gln Arg Arg Val Val Asp His Ser Lys
 70 75 80

Lys Arg Phe Gly Ile Pro Met Asp Arg Ile Gly Arg Asn Arg Leu Ser
 85 90 95

Ser Ser Arg Gly
 100

<210> 24
 <211> 24
 <212> DNA
 <213> Artificial Sequence

<220>

<223> Oligonucleotide designed to act as primer for amplifying rat SS169
 cDNA fragment.

<400> 24

gatgatctgg tgccttgga gaat

24

<210> 25
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligonucleotide designed to act as primer for amplifying rat
SS169 cDNA fragment.

<400> 25
tctacagacc cagccgagag tc

22